

## Kleins Floral

The following is a list of the fruits and vegetables we carry as starter plants or bulbs. Many common vegetables are best started from seed planted directly in the garden. Many of these seeds can be found on our seed racks with very good directions on the packets as to when and how to plant.

Vegetables best grown from seed include: Beans, Beets, Carrots, Chard, Corn, Lettuce, Peas, Radishes and Spinach.

Potatoes are grown from either small whole potatoes or from pieces of larger potatoes. We do not carry potatoes due to the heat in the greenhouses and the fact we can't keep them very long.

**ARUGULA (ROQUETTE):** Easy to grow with an unmistakable peppery taste. Long, dark green, broad, arrow-shaped leaves form a loose, open bunch. Grows to 12-18" tall before bolting. Frost hardy, it can be grown from early spring through late fall. Use fresh in salads or in stir-fries and in pasta sauces. All parts; leaves, seeds, flowers and oil are edible. Flavor is horseradish-like. Grow in rich, well-drained soil in full to part-sun. (3 1/2" pot)

**ASPARAGUS:** Perennial. Plant in early to mid-spring. Likes a sunny or only partially shaded spot richly fertilized with compost or aged manure. Set the crowns 12-16" apart in a trench 6-8" below ground level. Lay out the roots flat and cover with 1-2" of soil. As the spears grow, gradually fill the trench with soil. Keep free of weeds and irrigate well. A marsh hay mulch may be applied mid-summer. The leaves feed the roots and must not be cut back until they die naturally in the fall. Apply additional manure or compost each fall and spring. Full harvest will begin in the second season in mid-spring and thereafter for many years. Harvest by bending the spear until it snaps.

**Jersey King--**A very disease resistant and vigorous variety. This is an all male hybrid. Spears are extra-large and quite uniform. Can be harvested sooner after planting than open-pollinated types. (Sold 8 roots/pkg.)

**Mary Washington--**The most popular standard variety. Produces an excellent yield of uniform, medium-green spears. Early, vigorous and resistant to rust. Great for freezing. (Sold 8 roots/pkg.)

**BEANS:** All types sold as seed.

**BEETS:** Sold as seed.

**BITTER MELON (Mormodica charantia), BALSAM PEAR:** Fruit of an annual vegetable originating in tropical India that grows in the same conditions and has the same requirements as cucumbers. They have been consumed for centuries in Asia. While quite popular in China, India, Indonesia and Southeast Asia, it is a newcomer to Western markets. The fruit is 3-10" long and is shaped like a cucumber, with an edible pale green skin that is wrinkled and warty.

The thick flesh is rather dry and contains numerous whitish seeds; its quinine content gives it a bitter taste, although it is less bitter while still green. The ripeness is indicated by color, which becomes yellow then orange at maturity. Too bitter to be eaten raw, it is usually peeled, seeds removed and cut into chunks, then steamed, boiled or marinated. For the American palate it is best blanched a few minutes to remove some of the bitterness or to 'sweat' it 30 minutes with salt then rinsed. Countless recipes are available on-line. (3" coir pot)

**BROCCOLI:** Broccoli is closely related to cabbage, kale and cauliflower (cole crops) and like these other members of the Brassica genus, requires a fertile soil with good moisture-holding capacity. Broccoli generally does not do well in hot weather. Best success is with an early spring or fall crop. Before flower buds open, cut center head. Side shoots, or spears, will form soon thereafter. Harvest these shoots often to encourage continued production. Plant in full sun. Crop rotation is essential.

Packman--48 days. Uniform and large-beaded with a good head weight. A dark green variety. Nice side shoot development once the main head is cut. Excellent, mild flavor. (4-pack)

Premium Crop--58-65 days. AAS Winner. Very early with large, 8" heads that are firm with small beads. Vigorous grower and very uniform. Great for freezing. Excellent fresh or cooked. (4-pack)

**BROCCOLI RAAB--** 40-50 days. A traditional Italian specialty that combines the qualities of mustard or turnip greens and broccoli. Excellent fresh in salads or lightly cooked. Forms small florets. To harvest, clip the entire plant once the buds form or simply pick the buds for a longer yield. Tolerates light frost well. A great source for many many vitamins and minerals. Can be grown in both spring and fall. Cultural information is the same as broccoli. (4-pack)

**BROCCOFLOWER (Green Cauliflower):** Culture is exactly like that of broccoli.

Broccoverde--68 days. A cross between cauliflower and broccoli. Lime-green 1 lb. heads are semi-domed. Excellent flavor and quality and good heat tolerance. (4-pack)

**BRUSSELS SPROUTS:** Require a rich, well-drained and fertile soil. Heavy feeders that thrive in cool weather. Brussels sprouts need lots of moisture so a summer mulch of marsh hay is very beneficial. Will tolerate light shade. Transplant to 18-24" apart. Space rows 2-3' apart. To encourage development of the upper sprouts, pinch out the growing tip of the plant in late summer. Harvest sprouts from the bottom of the stalk as needed when they are about 1-1 1/2" in diameter. Sprouts will continue to bear and even be much improved in flavor after light frosts. Crop rotation is essential.

Bubbles--90 days. An extremely disease resistant, easy-to-grow variety. Widely adaptable. Sprouts are deep green and round and very evenly spaced on 2' stalks. Tolerant of heat and drought. (4 pack)

Jade--90-100 days. AAS Winner. A popular early maturing variety. Deep green sprouts are

spaced closely on medium-sized plants. High yield of firm oval-shaped, medium-sized sprouts. Holds well in adverse weather. (4-pack)

**CABBAGE:** Cabbages are heavy feeders. It matures faster and tastes better if grown in fertile soil. Needs ample moisture, particularly during hot spells. Space 15-18" apart in rows at least 2' apart. Crop rotation is essential. Splitting of the heads is often a problem during the summer. To curb this, give the mature cabbage plant a turn in the ground, thus breaking off some of the feeder roots and slowing growth. Heads are ready to harvest when firm. Over maturity will also cause the heads to split. For Chinese Cabbage see 'Chinese Cabbage' & 'Pak Choi'.

Golden Acre--65 days. A summer cabbage with crisp, round heads. Average is 3-4 lbs./head and 5 1/2-6" in diameter. (4-pack)

Late Flat Dutch--100 days. A dependable variety with very large 10-12 lb. flat heads. One of the largest cabbages available. One of the best for making sauerkraut. (4-pack)

Ruby Perfection--85 days. AAS Winner. Deep red, round heads weigh 3 1/2 lbs. Strong heat and cold resistance. (4-pack)

Savoy Express--55 days. A previous AAS Winner. This early-maturing cabbage is sweet and tender. The compact size makes it ideal for small gardens. Heads weigh just over 1 lb. (4-pack)

**CANTALOUPE, MUSKMELON:** Melons require a light soil in full sun locations, free from any shade. Keep the soil moist, especially in the early stages of growth and during pollination when the fruits are setting. After this do not water until the soil is very dry and the plants are looking somewhat stressed. Do not plant into the garden until the soil has thoroughly warmed--usually late May. Give plenty of room, planting in hills up to 6' apart. Melons are ripe when thumb pressure at the base of the stem causes the melon to separate from the vine.

Ball 1776--83 days. An excellent tasting muskmelon with very sweet 5 lb. fruit. Powdery mildew resistant. (3" coir pot)

**CARDOON:** Replaces celery in Italian and Mediterranean cuisines. Cardoon is a relative of the artichoke. But instead of eating the flower, one eats the center leaf stems. Chop and cook exactly as you'd use celery in soups and stews. Though they can be eaten raw, they are far more flavorful cooked. In the garden, stems can be blanched if desired. Plants enjoy full sun and lots of water. The large gray-green leaves are also a lovely garden ornamental, though they will not flower the first year in the garden. Blooms are large and thistle-like.

Porto Spineless--60 days. A lovely new 3-4' variety with silver-gray deeply serrated leaves. Hardy to Zone 6. (5" fiber pot in annuals area)

**CARROTS:** Sold as seed.

**CAULIFLOWER:** In general, cauliflower is grown like cabbage, like all cole crops.

High fertility and an abundant supply of moisture throughout the season are most important. Plant 18" apart with 24-36" between rows. When small white heads become visible through the leaves, it's time for "blanching" by gathering the outer leaves over the head in tying them together with twine to preserve the white curd color. Although this practice is culturally not necessary, it helps prevent yellowing of the curd due to exposure to the sun. Cauliflower tends not to head well during very hot weather. Cauliflower is ready for harvest when heads are firm and still tightly clustered and adequately sized.

Cheddar--68 days. A unique choice for cooking and raw. Discovered by accident in 1970, the orange color comes from 25x the beta carotene of white types--an excellent source of vitamin A. Uniform, dome-shaped heads are comparable in size and weight to standard cauliflower. (4-pack)

Snow Crown or Snowball--50 days. The standard of early cauliflower. Remarkably early and dependable. Heads are medium sized, domed, and solid with good curd quality whether harvested in summer or fall. The easiest to grow early cauliflower. 2 lb heads. (4-pack)

**CELERIAC (German or Root Celery):** 100 days. Large, white, round root harvested late summer through fall at a 3-5" diameter. The crisp flesh is packed with pure celery flavor. Fall harvested roots store as easily as carrots to add to vegetable juice, soups and stews, and shredded like carrots for salads through fall and winter. Plant in full sun. Soil temps must be above 65 degrees F. Grow much the same as celery. (4-pack)

**CELERY:** Must be kept fertilized and well-watered throughout the season. Do not let the soil dry out. Plant 6-8" apart in rows 24-36" apart. Young plants must not be exposed to temperatures below 55 degrees. Unlike most plants, this actually causes the plant to bolt.

Golden Self-Blanching--110 days. Compact, early maturing with thick stems which blanch to a golden yellow. Free of strings. (4-pack)

**CHARD:** Available only as seed.

**CHINESE CABBAGE, CELERY CABBAGE, PE-TSAI:** Native to China, where it has been consumed for thousands of years. Similar in shape to romaine lettuce, the most common varieties are the Michihili and the Napa. Water content is higher than other cabbages, making it crisper and more refreshing. It is also less fibrous with a subtler flavor than head cabbage. It can be eaten raw in salads and marinades or cooked in stir-fries and soups.

China Express--72 days. Excellent bolt resistance. Stocky, barrel-shaped 4-5 lb. heads are nice medium green. A Michihili-type. (4-pack)

**COLLARDS:** A very close relative of kale but with far greater heat tolerance and far greater cold tolerance than cabbage, another close relative. Collards do not form a true head like cabbage,

but instead grow in a large rosette of blue-green leaves. In spring set out plants 10-15" apart. Collards are very productive. Either harvest the lower leaves as needed or harvest the entire plant if desired. Leaves have a better flavor if harvested during cool fall weather or if the summer harvested leaves are refrigerated a few days before use. Flavor resembles cabbage. Most often the leaves are boiled.

Georgia--70-80 days. Probably the best variety on the market. A vigorous plant that produces tender, juicy greens. Blue-green large, crumpled leaves. Grows 30-36" tall. (4-pack)

CORN: Sold as seed.

CUCUMBERS: Do best in very fertile, mellow soil. They are heavy feeders. Need ample moisture and should never be allowed to wilt. Require full sun and are not at all shade tolerant. Plant only when the soil has thoroughly warmed, usually in late May. Allow 6" between plants in rows or hills that are 4-6' apart. Many varieties do well growing up a trellis. Be very careful as not to disturb the roots during transplanting to the garden. Do not allow the fruits to over ripen. Keep mature cukes picked off the vine to encourage continued production.

Burpless Supreme--55 days. An excellent producer of sweet, burpless slicers with no hint of bitterness. The dark cukes grow to 12" long, most of them seedless. (3" coir pot)

Bush Crop--60 days. Slicing type. Very flavorful fruit is 6-8" long and 2-2 1/2" in diameter. Restricted growth is ideal for small beds and containers. Plants bear male and female flowers. (3" coir pot)

Diva--58 days. 2002 AAS Winner. Non-bitter, 4-5" fruit with tender skin and crisp flesh. Normally seedless, they may have seeds if pollinated by nearby plants. Very disease and fungus resistant. (3" coir pot)

Fanfare--63 days. Slicing type. 1994 AAS Winner. Semi-dwarf vines bear a steady crop of mild, dark green cukes, 8-9" long. Plants bear male and female flowers for complete pollination and high quality fruit. (3" coir pot)

Homemade Pickles--55 days. A heavy producer of solid, crisp pickles. Can be harvested at 2" long or at full maturity--5". Over an 8 week period, each plant can yield 45 or more fruits! One of the best pickling cukes on the market. (3" coir pot)

Picking #7675--58 days. An heirloom variety that produces 6" fruit if left to mature. (3" coir pot)

Slicemaster--58 days. Slicing type. A longtime favorite. This hybrid is deserving of a special place because of its extreme earliness and multiple disease resistant abilities. Blossoms are mostly female. Fruits are dark green and average 8 1/2" in length. Exceedingly prolific. (3" coir pot)

Sweeter Yet--48 days. Early, sweet, burpless, dark green fruit is thin-skinned. Very fungus and disease resistant. (3" coir pot)

EGGPLANT: Does best in very fertile soil in full sun. They are tropical so need warm weather and warm soil before being planted outside--usually late May. Do not do well when nighttime temperatures are below 55 degrees. Plant 20-30" apart. Harvest fruits on the early side before they become seedy. Clip fruits with a shears. Eggplants make a very attractive container plant because of their beautiful fruits and leaves and bushy habit.

Dusky--62 days. An extra early smaller fruited variety, perfect for our short growing season. Cylindrical shape with deep purple, glossy skin. Excellent flavor. Fruits average 8 x 3 1/2" on 36" plants. (2-pack)

Fairy Tale--50 days. 2005 AAS Winner. 18-24" plants that set fruit 2 weeks earlier than most varieties. Lavender flowers produce clusters of elongated fruit marked by white stripes. Best harvested when 4" long for sweet, bitter-free eating. Small habit makes it ideal for containers and small gardens. (2-pack)

Ichiban--56 days. An Oriental eggplant with very slender, 12" fruit and small seed cavity on 36" plants with purplish leaves. Good purple color. (2-pack)

Satin Beauty--65 days. Very uniform, egg-shaped fruit with deep blackish purple skin. (2-pack)

Snowy--60 days. Has a very mild, non-bitter flavor. Early on vigorous 30" plants. Fruit is long and a beautiful ivory white. (2-pack)

ENDIVE: Available only as seed.

GARLIC: The largest bulbs are grown in heavily fertilized, well-drained soil. There are 3 types of garlic:

Softneck--The strongest flavored garlic and stores best. Bulbs produce medium-sized cloves on the outside and layers of smaller cloves in the center. Generally, not winter-hardy in Wisconsin, so best planted in the spring. We carry this type.

Stiffneck--The most cold-hardy type and best planted in the fall. They have large outside cloves and no inner ones. We do not offer this type.

Elephant--Distinct in size and taste. More closely related to leeks. The large cloves are easy to peel and have a very mild taste. Not very hardy and best not grown in Wisconsin.

Break apart the bulbs at planting time and insert individual cloves, root end down, 1 1/2-2" deep and 4-6" apart in full sun. When the bottom 2-3 leaves have yellowed, loosen the soil with a fork and lift the plants. To dry, string up the bunches in an airy place. Stores 5-8 months.

California White--A nice variety for the northern U.S. Bulbs are large. Plant very early in the spring to ensure a fall harvest of the largest bulbs. (Sold 3/pkg.)

**GOURDS:** Known for their curious colors and shapes--many are a must for fall decorating. Plant in any warm, well-drained soil with good fertility. They are heavy feeders. Mix plenty of organic matter in the soil to conserve moisture. Mulching is also recommended--conserving moisture and protecting developing fruit. Keep well-watered. Requires a sunny, sheltered location. Spacing depends upon variety, but generally like cucumbers or melons.

Autumn Wings Mix--100 days. Many colors and unusual shapes are in this mix. A must for fall decorating. Fruits are 8-12" long and the variety is astounding.  
(3" coir pot)

Jung's Fancy Mix--100 days. A colorful mix of different gourd types. (3" coir pot)

'Oz' Birdhouse Gourds--110 days. Perfect for wrens, chickadees, bluebirds and others. Harvest when the shell begins to turn tan. Allow to dry then use for birdhouses or other crafts. (3" coir pot)

Small Fruited Mix--95 days. A collection of all small types, both smooth and warty, in lots of different shapes and colors. (3" coir pot)

**GROUND CHERRY, HUSK TOMATO:** 75 days. Very closely related to both tomatillos and Chinese lanterns. Plant in full sun in warm soil. Fruits are ripe when the husks are straw colored and the fruits golden. More cold tolerant than tomatoes, they will bear till heavy frost. A very old-fashioned fruit. Flavor is sweet and a bit wild. Fruits can be eaten raw, dried like raisins, frozen, canned, or made into preserves, cooked pies, and desserts. (2-pack)

**HONEYDEW:** Melons require a light soil in full sun locations, free from any shade. Keep the soil moist, especially in the early stages of growth and during pollination when the fruits are setting. After this do not water until the soil is very dry and the plants are looking somewhat stressed. Do not plant into the garden until the soil has thoroughly warmed--usually late May. Give plenty of room, planting in hills up to 6' apart. Melons are ripe when thumb pressure at the base of the stem causes the melon to separate from the vine.

Earlidew--75 days. A smooth skin early, northern honeydew. Fruit average 5 1/2", 2 1/2 lbs., turns greenish-gold at maturity, light green flesh. Honeydew taste. (3" coir pot)

**KALE:** Adds color and visual appeal to any garden. In fact, rather than taking up valuable space in the vegetable garden, use in flower beds and harvest as needed. It was one of the earliest cultivated brassicas and is very closely related to collards. The succulent, mild flavor is a wonderful addition to salads, soups and stir-fries. As with all brassicas, kale performs best in cool weather and is one of the latest harvested vegetables in the fall. Light frosts enhance flavor. Always harvest the outer leaves first as not to damage the growing tip. Cultivation is as with cauliflower, cabbage and broccoli, etc. Flowering kale is edible, but has a more bitter taste and tougher leaves. A light frost generally improves flavor.

Dinosaur (Lacinato Blue)--50-60 days. Both tough and beautiful! Leaves are extremely cold tolerant and are even better tasting after a hard frost. Delicious and tender steamed, lightly boiled or in stir-fries. Use in the mixed flower border to save room in the vegetable garden. Very ornamental with large, puckered, blue-green leaves. (4-pack)

Redbor--50 days. A gorgeous, completely magenta kale. This vigorous and cold hardy, edible landscape plant is both beautiful and tasty. Mild and crisp, this finely curled kale adds a flash of color to salads. Grows 18-24" tall. (3-pack)

KOHLRABI: Prefers cool weather, and can be grown throughout the season here in the north. The crop matures quickly so can be grown for wonderful late spring and fall harvests. Small plants can be grown close together at 5" apart in rows that are 12-18" apart. Wonderful raw or cooked. A cole crop so cultivation is similar to cabbage, cauliflower, broccoli and kale. Harvest when the roots are 2 1/2" in diameter. They become woody when larger.

Early White Vienna--55 days. Standard flat globe roots are greenish-white with white flesh. Very slow to bolt. (4-pack)

Early Purple Vienna--55 days. Red-purple, flat globe. Roots have white flesh. (4-pack)

LEEKs: A large, upright, non-bulbing type of onion. Matures long, thick, blanched stems, topped with 1-1 1/2" wide flat leaves. When cooked, leeks lend to a creamy texture, and are sweeter than onions. For large leeks, provide very fertile soil. Plant individual plantlets 6" apart in rows that are 24" apart. Transplant rather deeply. While growing, hill the plants 2-3 times, higher with each hoeing. This forces the leaves higher up the plant, the end result being extra long blanched stalks, making a longer edible portion.

Titan--70 days. An extra-long, early type, of vigorous growth. The leaves are dark green with pure white stems. For summer culture. (3 1/2" pot)

LETTUCE: Sold as seed.

LETTUCE, ROMAINE/COS: Normally lettuce is sown directly into the garden once the soil can be worked in early spring. But because they are slower to bolt, many head-types can be started earlier and transplanted into the garden for an even earlier harvest.

Paris Island Cos--70 days. An heirloom romaine lettuce. Tall, compact, dark-green plant. Slightly curly leaves with creamy-white hearts. Very slow to bolt and highly disease resistant. Flavor is very sweet. (4-pack)

MALABAR or CLIMBING SPINACH (Basella): 60 days. Unlike regular spinach, malabar's extreme love of heat allows for summering harvest. Twining plants can easily reach 10' in a single season. All parts; leaves, flowers and tender stems are edible. The glossy leaves are delightfully crisp and can be used fresh in salads or cooked in sautees and soups. Commonly used in African and Southeast Asian cuisine. The vine is also a stunning ornamental for

pergolas or arbors. (4" coir pot)

MUSKMELON: See cantaloupe.

OKRA: With the proper variety and culture, this southern specialty can also be productive in our cooler climate. Fried okra is a delicious southern staple along with gumbo; also in stir-fry and soup. Plant 2-3' apart in the garden. For better production use a black plastic mulch to heat the soil and keep weeds down. Fertilize regularly!

Cajun Delight--50 days. Early and prolific. A high yielder and the best choice for northern gardens. Medium height, strongly branched plants with flavorful, tender medium green pods. A 1997 AAS Winner. (3" coir pot)

Little Lucy--55 days. The first ever dwarf red okra. Gleaming burgundy pods on 2' plants are almost too beautiful to eat. 3" yellow and purple blooms are followed by 4-4 1/2" pods, held above maroon-veined foliage. Gorgeous in containers or in beds. (4" coir pot)

ONIONS: Like a light loam, well-drained fertile soil with plenty of organic matter. need even moisture, especially near the soil surface. Onions do best in full sun. Plant individual plantlet or sets 4" apart in rows 18-24" apart. Onions are quite hardy and should be planted in the spring as soon as the soil can be worked. Onions can be harvested early as scallions or green onions or in late summer or fall for full sized onions. Harvest when the tops begin to fall over, turn brown and wither. Tipping onions over to break some of the roots will speed drying. Onions must be stored cool and dry once cured.

Red Burgermaster--Bright red with great flavor for sandwiches and salads. Available in open packs of ca. 100 sets.

Red Wethersfield--Red onion. An heirloom variety from 1843. Known for its storability. This long-day type is excellent for northern climates. Available as sets only, 100/bag

Sweet White Spanish--110 days. Large, globe-shaped bulbs with white skin, fine flesh and excellent flavor. Available in open packs of ca. 100 sets.

Sweet Yellow Spanish--130 days. Large bulbs have medium-firm flesh and brownish-yellow skin. Available in open packs of ca. 100 sets.

White Ebenezer--White onion. Available as sets only, 100/bag.

Yellow Stuttgarter--The most commonly grown onion sets in home garden. Mature onions are somewhat flat and broad. Excellent for storage and early bunching. Available as sets only, 100/bag.

PAK-CHOI, BOK CHOY, CHINESE CABBAGE: Chinese cabbage is very easy to grow throughout the season. Gradually decreasing day length and temperatures of late summer encourage beautiful heads. Low temps of 55 degrees or less will cause the plant to bolt, so wait until late

May to plant in the garden. Very heat tolerant. Plant 12-18" apart. Also known as Lei choi.

Joi-Choi--45 days. Hybrid version of pak-choi. Fine, spoon-shaped stalks, ivory white stems, dark green leaves. Some cold tolerance. 10-14 stalks that are 8-10" long. Excellent raw or cooked. (4-pack)

PARSLEY: See herb section. (2 1/2" pot)

PARSNIP: Available as seed.

PEAS: Sold as seed.

PEPPERS, SWEET: Require well-drained, warm soil of moderate fertility. They are light feeders, but enrich the soil with organic matter. Fertilize sparingly until the plants begin to set fruit. Too much nitrogen causes excess foliage and the dropping of flower buds. Provide even moisture, especially during flowering and fruit set. Plant in a wide open sunny location. Plant 24" apart in rows 18" apart. Peppers are very tender plants and must not be put in the garden before late May once the soil has thoroughly warmed. Blossoms will drop if the temperatures fall below 60 degrees F. Begin harvesting when the fruits reach a usable size and can be harvested at any stage during ripening.

NOTE: "Red Peppers" are simply fully ripened green peppers. The labels signify which peppers mature red rather than other colors. This is one of our most commonly asked questions regarding peppers and biggest misconception on the consumers' part. Peppers are offered in 4-packs and/or 3" coir pots.

Banana Supreme--65 days. An improvement over the old-time Sweet Banana--larger fruit (7-9" long and to 2 1/2" wide starts yellow and matures to a deep red (instead of orange) and produces much larger yields. Vigorous plants about 2' high, upright and spreading.

Bell Boy--70 days. AAS Winner. Fruit is medium-long, mostly 4-lobed, thick walled and green, ripening red. High yielding and disease-resistant. Fruit is 4 1/2" x 3 1/2".

Blushing Beauty--70 days. A past AAS Winner. The blocky 4x4" four lobed peppers are sweet and thick walled. In developing they change from a very light yellow to blush red and bright red when fully ripe. Disease resistant.

Chocolate Beauty--70 days. Dark green skin ripens to a dark brown. Fruits are very sweet. An interesting novelty to add color to your salads or cooking. Disease-free.

Giant Marconi--62 days. AAS Winner. Bred in Italy, an early, heavy yielding variety that produces 6-8" green fruits that mature to a bright red. About 3" wide at the top, 3-lobed. A thin-skinned variety. Very disease resistant.

Golden Summer--71 days. Blocky fruit, 4-4 1/2" long and 3" wide. Lime green ripening to gold.

Gypsy--60 days. AAS Winner. Very early, productive, multipurpose pepper for salads and cooking. Wedge-shaped, 3-4" pale green peppers with thick, crisp, tasty flesh. Matures to orange-red. The 18-20" plants bear as many as 18 fruits at once.

Pimiento Elite--73 days. The primary pepper-type used in making paprika. Good yields of sweet, thick-walled, 3x3 1/2" fruit. Beautiful red fruit when ripe. Fruit is oval and heart-shaped.

Purple Beauty--70 days. Blocky, 4x3 1/2", thick-walled fruit. Ripens from green to deep purple.

Super Heavyweight--77 days. Very flavorful jumbo bell produces huge, blocky, thick-walled peppers up to 7" long and 6" wide. Excellent for fresh eating or stuffing. Ripens green to gold.

PEPPERS, HOT: Require well-drained, warm soil of moderate fertility. They are light feeders, but enrich the soil with organic matter. Fertilize sparingly until the plants begin to set fruit. Too much nitrogen causes excess foliage and the dropping of flower buds. Provide even moisture, especially during flowering and fruit set. Plant in a wide open sunny location. Plant 24" apart in rows 18" apart. Peppers are very tender plants and must not be put in the garden before late May once the soil has thoroughly warmed. Blossoms will drop if the temperatures fall below 60 degrees F. Begin harvesting when the fruits reach a usable size and can be harvested at any stage during ripening. Also known as chile peppers. Peppers are offered in 4-packs and/or 3" coir pots, except the ornamentals and Thai Hot which are in larger pots.

A NOTE ON HEAT: We've ranked each pepper below with 1-5 stars with (\*\*\*\*\*) being the hottest and (\*) the mildest. Heat within a variety can vary greatly from year to year depending upon the stress the plants are grown under, i.e. heat, humidity, drought, etc. Pepper pungency is about 10 times greater after drying.

Anaheim--77 days. Very pungent chili-type. Long, tapered dark green fruits are 7" long by 1 1/2" wide. Often used in chili rellenos. (\*\*)

Ancho--See Poblano.

Bhut Jolokia (syn. Naga Jolokia or Ghost Chili)--A recently discovered heirloom chili that in 2006 was given the honor as the world's hottest pepper by the Guinness Book of World Records with a Scoville rating of 1,041,427. The pepper originates from northeastern India, Sri Lanka and Bangladesh. Ripe fruits are 2 1/2" long and are an orange-red. Appearance is similar to a Habanero. One seed alone can create intense pain in the mouth for 30 minutes. Extreme care must be taken when handling or ingesting this pepper. In India, the chili is used to remedy summer heat by inducing sweating. Plants grow to about 3' tall. Quantities are very limited. (4" coir pot) (\*\*\*\*\*)

Big Chili II--68 days. An improved early Anaheim with thick-walled, mildly flavored fruits, 8-10"

long. Disease resistant. (\*\*)

Cayenne Long Slim--70 days. Green turns red in mature stage. For pickles, canning or drying. Long, 6 x 1/2" fruits. (\*\*\*\*)

Caribbean Red--100 days. Seed for this habanero variety was found in the Caribbean and improved, resulting in a uniform, fiercely hot pepper that is way hotter than a regular habanero. This pepper must be used carefully. Bright red, wrinkled fruits are 1 1/2" long and 1" wide. (\*\*\*\*\*)

Chilly Chili--A 2002 AAS Winner. Although technically a hot chili pepper, this variety has been bred to be non-pungent. Child-safe fruit that matures from greenish yellow to dark red. Fruit and habit are similar, but larger than 'Medusa'. Grows 6-10" tall.

Chiltepin, Chile Piquin or Bird Peppers--(95 days) The mother of all chile peppers, this wild variety is the evolutionary starting point of all hot peppers. Still growing wild in the southwest and Mexico, the oval fruits are no larger than a small bean. Dried fruits are a beautiful orange-red. The flavor is slightly sweet and smoky and the heat quotient is "fiery". Slow-growing, bushy plants are best grown in a container. Pruned hard, plants can be overwintered indoors. Folklore states that the pungency of these chiles will not "burn the next day". Klein's heirloom variety was harvested in the wild in Texas by one of our own employees. To propagate, soak the dried seeds in a 1:10 bleach solution for 5 minutes, then rinse and sow. Best started 2 weeks earlier than other peppers. (\*\*\*\*\*) (2 1/2" pot)

Explosive 'Embers'--Conical fruit matures from dark purple to brilliant red and measures about 1 1/4" long. It offers a unique habit and unique purple foliage with purple flowers. Strongly branched. Very hot. 10-12" tall. (\*\*\*\*)

Garden Salsa--65 days. The perfect variety for homemade salsa with just the right amount of heat. A long, tapered hot pepper that is a tremendous yielder, producing numerous 7-8" long green turning red fruits. Has a medium pungency. Not as hot as jalapenos. (\*\*\*)

Habanero--95 days. Very hot. Light green, thin, crinkled flesh ripens to orange-red. Fruits are 1 1/2" long x 1" across and about 200 times hotter than jalapenos. Warm summers develop the hottest peppers. (\*\*\*\*\*)

Holy Mole--85 days. 2007 AAS Winner produces pasilla-type peppers with a distinctive, not-too-spicy flavor--perfect for making mole' sauce or using fresh, cooked or dried. Tapered peppers are 7-9" long and are a dark chocolate brown at maturity. Fruits start out green. (\*\*)

Hungarian Yellow Wax (Hot Banana)--70 days. Thick-walled, pendant, 6" fruit is smooth and tapered, yellow to red at maturity. High yield, uniform fruit; upright plants. A very nice "warm" hot. (\*\*\*)

Jalapeno--73 days. Dark green, tapered fruit, 3 x 1" turning dark red at maturity. Good for pickling or fresh. Due to familiarity it is the standard by which hot peppers are measured.

(\*\*\*)

Poblano/Ancho--70 days. Poblano describes the fresh pod and "ancho" is used to denote the dried form of this reasonably cool chile. Fruits are a very deep green and ripen red.

Pablanoes are slightly pungent and are most widely used for chile rellenos. Dried, they are used to make chile powders. (\*\*\*)

Serrano--75 days. very pungent fruit, 2 1/4" long and 1/2" in diameter. Slim and club-shaped green peppers with medium-thin walls maturing to a bright red on 30" tall plants. (\*\*\*)

Super Chile--75 days. Very productive, semi-compact plants produce upward facing, cone-shaped, 2 1/2x1 1/2" peppers with a spicy flavor. Great for ornamental use. Ripens green to red. (\*\*\*\*)

Thai Hot--70 days. Our hottest pepper. In fact, it is often times just used ornamentally. Fruits are slim and dark green, no more than 3/4" long and they mature to a deep red. Fruits are borne upright and completely cover the plant. Be extremely careful when handling and eating. (\*\*\*\*\*) (3 1/2" pot)

**POTATOES:** Potatoes are rather flexible in the soil type they are grown in, as long as it is very well-drained--the reason that potatoes are often raised in sandy areas such as the Wisconsin River Valley north of Madison. Potato tubers are cut into pieces with at least one "eye" from where the new plant will start to grow. Allowing the fresh cut surfaces to cure one day before planting is advised. Small seed potatoes will not need to be cut. Simply plant, 2-3" deep, eye up if possible, in mid-spring. Potatoes are usually planted in rows, 12" between plants with rows 30-36" apart. Once the potatoes sprout, the rows are hilled. Hilling ensures that the forming potatoes are kept dry and not exposed to light which will cause them to "green". Potato beetles are the plants greatest insect enemy. Potatoes enjoy thorough waterings while actively growing. Potatoes can be harvested at any time during the season, beginning about 8 weeks after planting. Or in fall, after the foliage is dried up, make the final harvest. Allow dug potatoes to dry a day or two before final storage in a cool and dark place. Light and warmth will cause greening and sprouting. (Available 5/pkg.)

Russet Burbank--A very high quality russet, excellent for baking and boiling. Potatoes have the recognized long russet shape. Late season.

Yukon Gold--Early to mid-season. One of the best eating potatoes for boiling, roasting or salads. Flesh is a lovely gold. A very firm variety that is also easy to grow with a nice buttery flavor. Rather disease resistant. Excellent for long winter storage.

**PUMPKINS:** Prefer a rich, loamy soil of good fertility and moisture retention. They are heavy feeders so mix lots of organic matter into the soil. Heavy feeders tend to use alot of water. Mulch to maintain moisture in the soil. Try not to water leaves or flowers. Plant in full sun. Hills should be 4-10' apart depending on whether or not they are bush or vine types. Pumpkins need warm soil so it is best not to plant until late May. Poor fruit setting is usually caused by male flowers produced before the female flowers, cold weather or a lack of

pollinating insects. Harvest before a killing frost or when the pumpkins are a deep orange color. Cut the vines. Store in a cool, dry area.

Baby Boo (Mini White)--95 days. Miniature variety with stunning white fruit. Immature fruits retain the best pure white color. A real novelty. Harvested fruits oftentimes last through Christmas. (3" coir pot)

Big Max--120 days. Producing pumpkins up to 100 lbs., this variety needs plenty of space, water and fertilizer. (3" coir pot)

Lumina--110 days. The smooth, white surface of this unusual pumpkin makes it ideal for fall decorating. Fruits are 18-20 lbs. with bright orange flesh. Long lasting. (3" coir pot)

Schoolltime--An easy-to-grow variety for small-space gardens, producing compact, bush-type vines with high yields of 8-10 lb. pumpkins. Smooth and dark orange-skinned. Good for ornamental use and cooking. (3" coir pot)

Spirit--95 days. A past AAS Winner. Early, well-shaped 12" diameter bright orange 12 lb. pumpkins. Semi-bush habit with only 5' spread. An excellent carving pumpkin that keeps well. (3" coir pot)

**RADICCHIO:** A stunningly beautiful gourmet salad vegetable of Italian origin.

Appealingly bitter with a nutlike texture. Treated very much like a slow-growing lettuce.

Burgundy red color with white veins, cabbage-like heads. Use raw or cooked. Grows best in cool weather. Carmen type. (3 1/2" pot)

**RADISH:** Sold as seed.

**RHUBARB:** Perennial plants that will yield for decades. Prefers an open, sunny place and fertile soil.

To prepare the patch, dig in lots of compost or well-rotted manure. Turn the soil as deeply as possible. To plant, dig a narrow trench and set the plants 3-4' apart. Keep the growing point just at the soil surface. Firm the soil and water well. Keep the bed well weeded and watered the first summer. Experts suggest not harvesting any stalks the first year, allowing the plant to become well established. Harvest the stalks by pulling, rather than cutting. Don't remove more than half the stalks in a summer. Cut off any flower stalks as they emerge. This vegetable used as a fruit, is a member of the sorrel family.

Valentine--Deep red, sweet tasting stalks on 36-48" plants. Use in pies, jams, sauces and wine. A vigorous grower, well-suited to northern locations. (4 1/2" green perennial pot)

Victoria--Greenish red stalks, 10-12" long. A very popular English variety excellent in pies. (available 2/pkg.)

**SHALLOTS:** Considering their elegant reputation, shallots are remarkably easy to grow. Plant individual bulblets in early to mid-spring in full sun to part-shade. Push the bulblet into the soil about 3/4 their length deep, 6" apart in narrow rows. Large sets may be cut, as long as there is some root on the end of each piece. Each set will multiply 6-10 times,

depending on fertility and planting time, with earlier plants more productive. Harvest in the summer when tops fall and begin to brown and dry in an airy place. Store in a cool, dry location.

Golden Gourmet--90 days. Yellow shallots. Available as sets only, 10/bag.

SPINACH: Sold as seed.

SQUASH: Plant in any warm, well-drained soil with good fertility. They are heavy feeders. Mix plenty of organic matter in the soil to conserve moisture. Mulching is also recommended--conserving moisture and protecting developing fruit. Keep well-watered. Requires a sunny, sheltered location. Spacing depends upon variety, but generally like cucumbers or melons. Summer squash are harvested while still young and tender. Winter squash are left on the vines until maturity and their outer shells are hard. Mature winter squash are cut from the parent plant, leaving a stem attached to the fruit. Cure in the sun or an airy shed for a week or two before storing in a cool, dry place for winter use.

Aristocrat Zucchini--50 days. Past AAS Winner. Dark green, smooth skin with 7" fruit. A very high yielding summer squash. (3" coir pot)

Bush Delicata--80 days. Winter squash. Edible and ornamental, each 1 1/2-2 lb. squash has smooth textured flesh with a sweet, nutty flavor. The 8" long, 4" wide, white fruits have green striping. Semi-bush, 4-6' plants are ideal for small space gardens. Long storage life and strong powdery mildew tolerance. (3" coir pot)

Buttercup--90 days. Winter squash. Fruit is 4 1/2" x 6 1/2" and thin-skinned dark green with narrow gray stripes or mottlings and orange flesh. Many say it's the best tasting squash available. 3-4 lbs. each. (3" coir pot)

Butternut Waltham--90 days. Cylindrical fruit, 7-10" long by 5" across, has a nutty flavor. (3" coir pot)

Goldbar--60 days. One of the most popular of the yellow summer squash. Superior quality, consistent, smooth golden-yellow fruits. Very prolific. (3" coir pot)

Peter Pan--50 days. Past AAS Winner. Green patty-pan type, scalloped squash. (3" coir pot)

Table Ace--70 days. Winter squash. A dark green acorn type producing 5 1/2" long fruit with less string meat than most varieties. (3" coir pot)

STRAWBERRIES: Easy-to-grow perennial fruits. Please refer to the packages or a detailed guide for strawberry production. There are many techniques for growing strawberries successfully and much of it is personal choice. Key to strawberry production are:

- choosing a sunny, yet not too hot, location
- not planting the plants too deep. The crowns must remain at or slightly

above the soil line.

-mulching for winter protection. The heave/thaw cycle kills a strawberry patch more than anything else.

June-bearing are the traditional strawberry, bearing one early bumper crop. The best choice for creating a strawberry patch because runner development is encouraged. Everbearing types produce a crop of large berries in June, and a second crop of smaller fruit 6-8 weeks later. Remove runners to encourage crown development and, therefore, more fruit.

Berri Basket--Everbearing type. Compact, bushy plants create lush hanging baskets. Creamy white flowers appear above the deep green, shiny leaves. Very attractive. Produces large, deep red, full-flavored berries until frost. Garden hardy to Zone 5. (3-pack)

Eversweet--Everbearing type. Berries are large in size and uniform in shape. Foliage is rich and dark. Plants are vigorous. (Available 15/pkg.)

Honeoye--June-bearing type. Large and vigorous. One of the most popular of the June-bearing varieties. Very hardy. (Available 15/pkg.)

SWISS CHARD: Sold as seed.

TOMATILLO: Grown like tomatoes--planted in full sun after the soil has thoroughly warmed. May be grown without support or in cages. The plants are quite large and unpruned, should be spaced 3' apart. The tips may be pinched off to control plant spread. Plants ripen fruit early and are actually quite adapted to the North. Plants are heavy yielders so one plant is usually enough for most gardeners. Harvest when the paper husk loosens and the fruit turns from green to pale yellow. Tomatillos are closely related to ground cherries and Chinese lanterns.

Toma Verde--60 days. An early green tomatillo. Large, flat, round, green fruits. (2-pack)

TOMATOES: Plant in any warm, well-drained soil of good fertility. Plants are light feeders so avoid excessive nitrogen, especially before fruit set. It's important to provide even moisture at all times, particularly during fruit set and development. Grow in full sun and planting before late May is strongly discouraged or till the soil has thoroughly warmed. Plants are very susceptible to frost damage. Rotate plants in the garden to discourage soil-borne problems. Support is important to keep the foliage off the ground. A mulch is also helpful for moisture retention and to prevent splashing of the soil on the leaves. Pick the fruit when the fruit is firm and turning color. Overripe tomatoes rot quickly.

--In checking tomato varieties, note those with resistance to soil-borne diseases, including: V for verticillium wilt, F for fusarium wilt, N for nematodes, T for tobacco mosaic, A for alternaria and St for Stemphylium. There are two types of fusarium disease. A variety marked F is resistant to one type; those marked FF are resistant to both. It's a good idea to rotate the location of tomato crops from year to year. Tomatoes are available in 2-packs, 4" coir pots and 2 gallon tubs.

**NOTE:** '+++' before name denotes an **HEIRLOOM** variety and they include:

Amana Orange, Aunt Gertie's Gold, Bonny Best, Brandywine, Caspian Pink, Cherokee Purple, Green Zebra, Mortgage Lifter, Old German, O.K. (Oscar Klein) Italian, Paul Robeson, Pineapple, Riesentraube, Rutgers Select, Sioux, Ukrainian Pear and Yellow Brandywine.

+++Amana Orange--(I), 90 days, Heirloom. A beefsteak type from the Amana colonies in Iowa. Fruits are 5" in diameter with their famous orange color.

+++Aunt Gertie's Gold--(I), 75 days, Heirloom. This potato-leafed variety produces large (1-2 lb.) yellow-gold fruit. The flavor "carries a hint of melon". The tomatoes are not overly sweet or overly juicy.

Beefmaster--(I), VFNA, 80 days. Formerly called Beefeater. Very large, deep red oblate-shaped fruit in the 30-32 oz. range. Strong vines yield large quantities of full-flavored tomatoes. The best beefsteak type.

Beefsteak--(I), 90 days. Also know as Red Ponderosa or Crimson Cushion. Extra-large, meaty, ribbed deep scarlet fruit. 12 oz. Fairly soft for easy slicing.

Better Boy--(I), VFNASt, 70 days. Probably our most popular tomato. Produces 16-20 oz. fruit over an extremely long season. Sturdy plants have large leaves for sun scald protection. High yields. One of the best all-around performers.

Big Beef--(I), VFFNASt, 73 days. 1994 AAS Winner. Old-time flavor, colossal fruit size, great disease resistance and high quality. 9-12 oz. fruit matures early.

Big Boy--(I), 80 days. Large, 14-16 oz. bright red fruits. Very productive. The most popular hybrid tomato nationwide. Smooth, firm, scarlet-red and thick-walled.

+++Bonny Best--(I), 72 days, Heirloom. An old-time favorite producing 8-10 oz. globed fruits that are solid and meaty. Performs especially well in northern gardens.

+++Brandywine--(I), an Amish heirloom, 78 days. The most popular heirloom (open-pollinated) variety that produces very large, rough, deeply lobed, slightly pinkish-red fruit, averaging 16-24 oz. Potato-leaf foliage. Flavor is excellent and of gourmet quality.

+++Caspian Pink--(I), 80 days, Heirloom. Some say it beats Brandywine in taste tests! Originally from Russia in the area between the Black and Caspian Seas. Fruits are large, flat and kind of pink in color.

Celebrity--(D), VFFNTA, 70 days. 1984 AAS Winner. Absolutely incredible set of exceptionally flavorful, firm 8-12 oz. fruit on strong vines with good cover and outstanding disease resistance. Large clusters of consistently large, beautiful tomatoes.

Champion--(I), VFNT, 62 days. Especially bred as a luscious sandwich tomato, solid, meaty slices with just the right sweetness. High yields of large fruit, bigger than Early Girl and earlier than Better Boy.

+++Cherokee Purple--(I), 85 days, Heirloom. An unusual tomato with medium-large, flattened globe fruits that are dusky pink with darker pink/purple shoulders. Relatively short vines for an indeterminate.

Cupid--(I), 66 days. Considered perhaps the best grape hybrid on the market. Tops in quality, flavor, yield and holding ability. Fruits are firm and crack resistant. Continuous yield on disease resistant and vigorous plants. Yield starts early in the season and finishes late.

Early Girl--(I), VFF, 52 days. The earliest slicing variety available and our most popular early variety. Yields a prolific crop of 4-6 oz. fruit all summer. Fruit is rich red.

+++Green Zebra--(I), 75 days, Heirloom. A unique, delicious salad tomato. 3 oz. green fruits ripen to amber-green with darker green stripes. The light green flesh is very flavorful, sweet yet zingy. This one is a real taste treat. Technically not an heirloom, but usually listed as such in catalogues.

Health Kick--(D), 72 days. A high yielding saladette variety containing an extra 50% concentration of Lycopene, the antioxidant that may help prevent certain cancer types, especially prostate. Bright red, 4 oz. plum-shaped fruits are delicious. Disease resistant.

Husky Red--(I), VFFASt, 68 days. Produces 5-7 oz. fruit. The upright plants can be grown staked or caged, without pinching.

Jubilee--(I), A, 80 days. An AAS Winner. Medium-sized golden-orange fruits weighing 6-7 oz. and having a great meaty flavor. Sweet and non-acidic.

Juliet--(I), A, 60 days. 1999 AAS Winner. This red 1 oz. tomato is produced in clusters (like grapes) on long, vigorous vines. The fruit shape is an unusual, elongated, cherry-type, 1" long. It has a sweet flavor, attractive, glossy skin and is crack-resistant. Expect high yields.

La Roma Red--(D), VFNA, 76 days. The most popular Italian-type tomato. Popular for canning, cooking or paste. Vigorous vines produce excellent yield of bright red, plum-shaped, 3-4 oz. fruit. Bush habit.

Lemon Boy--(I), VFNASt, 72 days. Not a golden, but a true yellow tomato. Produces large, deep oblate fruit averaging 7 oz. Outproduces all other golden or yellow tomatoes on the market. Ideal for mild-flavored, delicious and visually striking salads.

+++Mortgage Lifter--(I), VFN, 85 days, Heirloom. An old, pink variety. Well-shaped, large fruit is meaty with few seeds.

+++O.K. (Oscar Klein) Italian--(I), Heirloom. One of our very own. We've been growing it for

years and no longer know the source other than the fact that the seeds from this large-fruited Italian, paste-type were brought direct from Italy shortly after WW II. A beautiful and productive plant.

+++Old German--(I), 75 days. An heirloom originally grown by the Mennonite community of Virginia, and one of the best varieties for slicing. Huge fruits weigh 1 1/2-2 lbs. each, with an unusual boat shape.

Opalka--(I), 85 days. One of the best sauce tomatoes on the market. The flavor is rich and very sweet. Fruits are almost seedless and are a bright red. Fruits are elongated and 3-5". Vines are vigorous and high-yielding.

+++Paul Robeson (I), 74 days. A Siberian heirloom with 7-10 oz. blackish-red fruit. Sets fruit at lower temperatures so is excellent for northern climates. Has a unique rich and exotic flavor. Has a cult following among serious tomato and heirloom gardeners.

Patio--(D), FASt, 70 days. Excellent for pots or small gardens. Fruit is medium size, smooth and firm. A sturdy, dwarf, upright plant with crinkled foliage. Grows 24-30" tall. 3-4 oz. fruit.

+++Pineapple--(I), 85 days, Heirloom. Gorgeous 1 lb. red and yellow streaked fruit. Old-fashioned and very full-bodied. The flavor is wonderful, rich, fruity and very sweet. Strong vines bear an abundant crop.

+++Riesentraube--(I), 80 days, Heirloom. The name of this German heirloom means "giant bunch of grapes." Bouquet-type blossoms turn into bunches of 20-40 small, oval red fruit with pointed ends. Flavor is excellent, offering taste found in larger tomatoes.

+++Rutgers Select--(D), VFA, 75 days, Heirloom. Gardeners throughout the country are rediscovering this old-fashioned classic for its terrific flavor and productivity. This strain has moderate disease-resistance, which ensures large crops of crack-free, bright red 6-8 oz. fruit with delicious, old-time taste. This has always been a favorite for canning because of its abundance, juiciness and deep red color throughout. Developed in the 1920's.

+++Sioux--(I), 70 days, Heirloom. This variety was originally released in 1944 by the University of Nebraska. Has reliably large harvests, even in hot weather. Tomatoes weigh about 6 oz. Flavor is sweet, yet tangy--yet rich and complex.

Sprite--(D), 60 days. A very manageable tomato for any small garden or container. Very productive plants carry oodles of sweet, red and thin-skinned grape tomatoes over a long period.

Sugary--(D), 65 days. 2005 AAS Winner. Produces tiny, oval-shaped fruit with pointed ends. Very productive.

SunSugar--(I), FT, 62 days. Beautiful golden cherry tomato with the highest rated sweet taste. Good crack resistance, but with a fairly thin skin. Very vigorous plants.

Super Fantastic--(I), VFN, 70 days. A heavy producer of 10 oz. fruit. Smooth, solid, meaty fruits throughout the summer. Very crack-resistant. Flavor is a wonderful combination of sweet and acid.

Supersweet 100--(I), VF, 60 days. Probably the best tasting and highest yielding cherry tomato available and an improvement over the incomparable original Sweet 100. Plants produce hundreds cherry tomatoes on vigorous vines that can climb 10 feet if trained to do so. Fruits are high in vitamin C.

Tumbling Tom--(D), 68 days. This cascading variety trails up to 18". High yields of sweet, red, 1-2" cherry tomatoes on well-branched plants. Also available in 12" hanging baskets.

+++Ukrainian Pear--(I), 80 days, Heirloom. From Yalta in the Ukraine, these vigorous vines produce dark pink, 6 oz., very sweet, pear-shaped fruit.

Viva Italia--(D), VFFNASt, 85-90 days. A beautiful, Italian sauce tomato with outstanding flavor and abundant mid-season yields. Vigorous vines produce decidedly firm, juicy fruit that ripen uniformly and store well--for up to 2 weeks.

Wisconsin 55--(I), 72 days. Medium-large oblate fruit. Developed at the University of Wisconsin in the 1940's and still one of our most popular tomatoes. Deep-red fruit, resistant to blossom end rot. Ripens evenly. Strong skin and solid walls.

+++Yellow Brandywine--(I), 92 days. Heirloom. An orange old-timer with rich taste. Big, flat-round glowing tomatoes have a rich gourmet taste similar to regular Brandywine. Fruit is 12-24 oz.

Yellow Pear--(I), A, 78 days. By popular demand, we're offering this low-acid salad tomato. Tall, vigorous vine bears large quantities of small, 3/4-1 oz., lemon-yellow, pear-shaped fruit. These unusual tomatoes are a focal point when served whole in salads. Mild flavor.

Yellow Plum--(I), A, 1" fruit. The best yellow plum available for cooking.

I=Indeterminate: They continue to vine, even after fruit set. Blossoms and fruit develop progressively. The harvest lasts several months. Plants tend to be large and sprawling and are best when staked. They are less susceptible to leaf diseases. They require more work, but are often more rewarding with larger and better flavored fruit. Yield is also greater.

D=Determinate: Means the vine terminates in a flower cluster. Blossoms and fruit develop over a short period of time; usually 7-10 days. Plants are bush type and seldom need staking. Tend to be the best varieties for containers and small gardens.

TURNIP: Available as seed.

**WATERMELON:** Melons require a light soil in full sun locations, free from any shade. Keep the soil moist, especially in the early stages of growth and during pollination when the fruits are setting. After this do not water until the soil is very dry and the plants are looking somewhat stressed. Do not plant into the garden until the soil has thoroughly warmed--usually late May. Give plenty of room, planting in hills up to 6' apart. There are 3 ways to tell when a watermelon is ripe: 1) the tendril nearest the point on the vine where the fruit stem attaches is browning/dead, 2) the spot where the fruit rests on the ground is yellow, and 3) the classic mystery--you hear the "punk", as opposed to the "pink" or "pank", when you flick the melon with your finger.

Crimson Sweet--80 days. Fruits are light green with dark green stripes, flesh is deep red and fine textured. Melons are round and average about 25 lbs. Disease resistant. (3" coir pot)

Sugar Baby--80 days. A small very early melon that is sweet and red fleshed, thin rind, fine for home gardens. Fruit averages 8-12 lbs. (3" coir pot)

**ZUCCHINI:** See Squash.



